

- (1) Veröffentlichungsnummer:
- (1) Publication number:
- (11) Numéro de publication:

1 047 726

Internationale Anmeldung veröffentlicht durch die Weltorganisation für geistiges Eigentum unter der Nummer:

WO 99/36470 (art.158 des EPÜ).

International application published by the World Intellectual Property Organisation under number:

WO 99/36470 (art.158 of the EPC).

Demande internationale publiée par l'Organisation Mondiale de la Propriété sous le numéro:

WO 99/36470 (art.158 de la CBE).

## **PCT**

## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number: WO 99/36470
C08L 5/14, C08B 37/00, 37/14, C11D 7/00	A1	(43) International Publication Date: 22 July 1999 (22.07.99)
(21) International Application Number: PCT/GB (22) International Filing Date: 15 January 1999 ( (30) Priority Data: 98300291.6 16 January 1998 (16.01.98)  (71) Applicant (for all designated States except US): INTERNATIONAL B.V. [NL/NL]; Huizerstraan NL-1411 GP Naarden (NL).  (72) Inventors; and (75) Inventors/Applicants (for US only): BERRY, Mar [GB/GB]; 2 Fitzwilliam Leys, Higham Ferrers, Northamptonshire NN10 8LY (GB). GIDLEY, John [GB/GB]; 45 Holmes Avenue, Raunds, Northamptonshire NN9 6SZ (GB). DAVIS, Paul, James   The Hawthorns, Pavenham Road, Felmersham, Bec MK43 7EX (GB).  (74) Agents: HUMPHRIES, Martyn et al.; ICI Group In Property, P.O. Box 90, Wilton, Middlesbrough, GTS90 8JE (GB).	QUEStweg 2  ark, Jo Rushde Micha Micham [GB/GH ifordsh	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK SL, TI, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW) Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM) European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN TD, TG).  Published  With international search report.

## (54) Title: POLYSACCHARIDE CONJUGATES CAPABLE OF BINDING TO CELLULOSE

### (57) Abstract

A polysaccharide conjugate comprises a polysaccharide attached to a particle carrying perfume, the polysaccharide conjugate being capable of binding to cellulose. Preferred polysaccharides include tamarind seed xyloglucan, locust bean gum and enzyme modified guar. Because the polysaccharide conjugate binds to cellulose, which is present in cotton and other fabrics, paper, etc., binding of the conjugate to cellulose brings the perfume-bearing particle into close proximity to a surface of or containing cellulose. The invention thus enables targeting of perfume-bearing particles to such surfaces. The invention also provides a product incorporating the polysaccharide conjugate of the invention. The product is conveniently a laundry product such as a fabric washing product, e.g. a detergent product, or a fabric conditioning product. The invention also provides a method of targeting binding of a particle carrying perfume to cellulose by use of the polysaccharide conjugate of the invention.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

í			o die l'el el el	ne iront pages	Of namphless			
AL	Albania			- Fagos	or pampmets publishing	internation	nal applications under the	D.000
AM		ES	Spain	LS			Transactoris under the	PCT.
AT	Austria	FI	Finland		Lesotho	SI	\$1	
AU		FR	France	LT	Lithuania	SK	Slovenia	
AZ	Azerbaijan	GA	Gabon	LU	Luxembourg	SN	Slovakia	
BA	Bosnia and Herzegovina	GB	United Kingdom	LV	Latvia	SZ	Senegal	
BB	Barbados	GE	Georgia	MC	Monaco	TD	Swaziland	
BE	Belgium	GH	Ghana	MD	Republic of Moldova	TG	Chad	
BF	Burkina Faso	GN	Guinea	MG	Madagascar	_	Togo	
BG	Bulgaria	GR	Greece	MK	The former Yugoslav	TJ	Tajikistan	
BJ	Benin	HU	Hungary		Republic of Macedonia	TM	Turkmenistan	
BR	Brazil	IE	Ireland	ML	Mali	TR	Turkey	
BY		ΙL	Israel	MN	Mongolia	TT	Trinidad and Tobago	
CA	Belarus	IS	Iceland	MR	Mauritania	UA	Ukraine	
CF	Canada	IT	Italy	MW	Malawi	UG	Uganda	
CG	Central African Republic	JP	Japan	MX	Mexico	US	United States of America	
CH	Congo	KE	Kenya	NE	Niger	UZ	Uzbekistan	
CI	Switzerland	KG	Kyrgyzstan	NL	Netherlands	VN	Viet Nam	
CM	Côte d'Ivoire	KP	Demonstra	NO	Norway	YU	Yugoslavia	
CN	Cameroon		Democratic People's	NZ	New Zealand	ZW	Zimbabwe	- 1
1	China	KR	Republic of Korea	PL	Poland			- 1
CU	Cuba	KZ	Republic of Korea	PT	Portugal			ı
CZ	Czech Republic	LC	Kazakstan	RO	Romania			- 1
DE	Germany	Li	Saint Lucia	RU				j
DK	Denmark	LK	Liechtenstein	SD	Russian Federation Sudan			
EE	Estonia	LR	Sri Lanka	SE				- 1
		LK	Liberia	SG	Sweden			- 1
					Singapore			- 1
								- 1
								- 1

WO 99/36470 PCT/GB99/00145

1

#### POLYSACCHARIDE CONJUGATES CAPABLE OF BINDING TO CELLULOSE

#### Field of Invention

5

15

This invention relates to binding of polysaccharides and concerns a cellulose-binding polysaccharide conjugate, products including the polysaccharide conjugate, and targeting methods using the polysaccharide conjugate. In the context of the invention the term "polysaccharide" is intended to cover polysaccharides and oligosaccharides, and references to "polysaccharide" and "polysaccharide conjugate" should be construed accordingly.

#### Background to the Invention

10 It is known that various naturally occurring polysaccharides such as pea xyloglucan, tamarind seed xyloglucan, etc bind to cellulose by a polysaccharide:polysaccharide interaction; indeed this binding ability is important in the functioning of plant cell walls.

The paper by Hayashi et al entitled "Pea Xyloglucan and Cellulose" in Plant Physiol. (1987) 83, 384-389 describes investigations of binding of pea xyloglucan to cellulose, using fluorescein-labelled xyloglucan prepared by treating xyloglucan with cyanogen bromide (CNBr) and incubating with fluoresceinamine, and also using radioiodinated xyloglucan prepared by reaction of <sup>125</sup>I with the fluorescein moiety on xyloglucan. These labels were used to trace the binding of the polysaccharide and are among the smallest molecular label entities known.

The present invention is based on the surprising discovery that polysaccharides with much larger attached entities than those used by Hayashi et al can still bind rapidly with high efficiency to cellulose by polysaccharide:polysaccharide interaction. This is surprising because binding occurs at multiple sites along the backbones of the polysaccharides, rather than at a single binding site as with antibody-antigen interactions, and it would have been predicted that binding would have been disrupted by the attachment of large entities to cellulose-binding polysaccharides. The invention thus opens up the possibility of using polysaccharides to target attached particles to cellulose, eg in fabric, paper, etc.

20

## Summary of the Invention

In one aspect the present invention provides a polysaccharide conjugate comprising a polysaccharide attached to a particle carrying perfume, the polysaccharide conjugate being capable of binding to cellulose.

The polysaccharide may be one that binds naturally to cellulose or has been derivatised or otherwise modified to bind to cellulose. The polysaccharide may be naturally occurring or

The polysaccharide desirably has a 1-4 linked  $\beta$ glycan (generalised sugar) backbone structure, which is stereochemically compatible with cellulose, such as a glucan backbone (consisting of  $\,\beta\,$  1-4 linked glucose residues), a mannan backbone (consisting of  $\beta\,$  1-4 10 linked mannose residues) or a xylan backbone (consisting of  $\beta$  1-4 linked xylose residues). Suitable polysaccharides include xyloglucans, glucomannans, mannans, galactomannans,  $\beta$  (1-3), (1-4) glucan and the xylan family incorporating glucurono-, arabino- and glucuronoarabinoxylan. See "Physiology and Biochemistry of Plant Cell Walls" (1990) by C Brett and K Waldron for a discussion of these materials.

The minimum chain length requirement for cellulose oligomers to bind to cellulose is 4 glucose units. For xyloglucans, the side chains make the binding less efficient and 12 backbone glucose units (ie. about 25 total sugar units) are required for binding to cellulose. Structural considerations suggest galactomannans are intermediate in binding efficiency, and about 6 to 8 backbone residues are expected to be required for binding to cellulose. The polysaccharide should thus have at least 4, and preferably at least 10, backbone residues, which are preferably  $\beta$  1-4 linked.

Naturally occurring polysaccharides that bind rapidly and strongly to cellulose by polysaccharide:polysaccharide interaction include xyloglucans such as pea xyloglucan and 25 tamarind seed xyloglucan (TXG) (which has a  $\beta$  1-4 linked glucan backbone with side chains of  $\alpha$ -D xylopyranose and  $\beta$ -D-galactopyranosyl-(1-2)- $\alpha$ -D-xylo-pyranose, both 1-6 linked to the backbone:see Gidley et al Carbohydrate Research, 214 (1991) 200-314 for a discussion of the structure of tamarind seed polysaccharide); and galactomammans, particularly low galactose galactomannans, such as locust bean gum (LBG) (which has a 30 mannan backbone of  $\,\beta\,$  1-4 linked mannose residues, with single unit galactose side chains linked  $\alpha$  1-6 to the backbone), enzyme modified guar (EMG) (guar gum has the same structural units as LBG but has a much higher level of galactose substitution, to the extent that there is not enough accessible mannan backbone through which to bind cellulose. EMG is produced by enzymic removal from guar gum of a controllable 35

20

25

WO 99/36470 PCT/GB99/00145

3

percentage of the galactose residues to produce a range of materials that are capable of binding to cellulose, but are cheaper and more consistently available than LBG. See

Bulpin et al Carbohydrate Polymers 12 (1990) 155-168 for a discussion of EMG), tara glactomannan and cassia galactomannan. These materials are commercially available and thus provide potentially useful sources of suitable polysaccharides. These materials

have the advantages of being relatively cheap, and already being accepted for food use.

The polysaccharide desirably has side chain galactose residues susceptible to oxidation by galactose oxidase, for production of an aldehyde group for coupling purposes, as will be described below. TXG, LBG and EMG have such galactose residues.

The particle may be of a range of materials including silica, particular porous silica, organic polymer etc.

The perfume may be carried by the particle in a variety of ways, including absorption, adsorption, impregnation and encapsulation.

Absorption of a perfume by particles can be brought about simply by bringing the perfume and the particles into contact, and allowing them to stand. The perfume molecules can enter the particles by diffusion.

An alternative to the use of solid particles is to form hollow capsules in which a shell encapsulates the perfume.

One approach to the preparation of microcapsules of perfume is to disperse droplets of the perfume in an aqueous phase which contains water soluble polymer, and then form a polymer shell around these perfume droplets by coacervation of the polymer at the interface between the perfume and the aqueous phase. Once formed, the capsule wall usually requires further treatment to strengthen it. The encapsulation of perfume by coacervation has been described by Meyer, A in Chimica, 46, 101 (1992) and in US-A-5051305.

A second approach to the formation of microcapsules of perfume is to disperse perfume droplets in an aqueous phase, and then bring about a polymerisation reaction at the interface between the droplets and the aqueous phase. The polymerisation reaction which has mostly been employed is the formation of an aminoplast resin. This has been used for

perfume encapsulation, as disclosed in US-A-4681806. A typical procedure for the production of aminoplast resin capsules enclosing perfume is set out in US-A-4234627, which refers back to US-A-3516941.

A further possibility is to form solid polymer particles, absorb the perfume into these, and then encapsulate these particles.

Further information on encapsulation techniques is given in Risch, S.J., Reineccius, G.A. (Ed), "Encapsulation and controlled release of food ingredients", ACS symposium series 590, Washington DC, 1995. It is to be noted that not all of the encapsulation techniques described in this reference are necessarily suitable for the preparation of particles for use in this invention. For instance, spray drying, which is the most widely used encapsulation technique, generally produces water-soluble particles which may not be particularly suitable. However, the person skilled in the art will readily be able to select suitable techniques.

The perfume typically constitutes between 1 and 90% of the total weight of the particle, and preferably constitutes at least 5% by weight to be commercially attractive. Using encapsulation techniques, perfume loadings of up to about 70% can be achieved, while absorption techniques, eg using highly absorbing silicas, can achieve loadings of up to about 90%.

The nature of the perfume is not critical to the invention. As is well known, a perfume normally consists of a mixture of a number of perfumery materials, each of which has a fragrance. The number of perfumery materials in a perfume is typically ten or more. The variety of chemical classes, but in general are water-insoluble oils. In many instances, the molecular weight of a perfumery material is in excess of 150, but does not exceed 300.

The perfumes used in the present invention can be mixtures of conventional perfumery materials. Perfumery materials which may be used include: acetyl cedrene, 4-acetoxy-3-pentyltetrahydropyran, 4-acetyl-6-t-butyl-1,1-dimetylindane, available under the trademark "CELESTOLIDE", 5-acetyl-1,1,2,3,3,6-hexamethylindane, available under the trademark "PHANTOLIDE", 6-acetyl-1-isopropyl-2,3,3,5-tetramethylindane, available under the trademark "TRASEOLIDE", alpha-n-amylcinnamic aldehyde, amyl salicylate, aubepine, aubepine nitrile, aurantion, 2-t-butylcyclohexyl acetate, 2-t-butylcyclohexanol,

3-(p-t-butylphenyl)propanal, 4-t-butylcyclohexyl acetate, 4-t-butyl-3,5-dinitro-2,6-dimethyl acetophenone, 4-t-butylcyclohexanol, benzoin siam resinoids, benzyl benzoate, benzyl acetate, benzyl propionate, benzyl salicylate, benzyl isoamyl ether, benzyl alcohol, bergamot oil, bornyl acetate, butyl salicylate, carvacrol, cedar atlas oil, cedryl methyl ether, cedryl acetate, cinnamic alcohol, cinnamyl propionate, cis-3-hexenol, cis-3-hexenyl 5 salicylate, citronella oil, citronellol, citronellonitrile, citronellyl acetate, citronellyloxyacetaldehyde, cloveleaf oil, coumarin, 9-decen-1-oi, n-decanal, n-dodecanal, decanol, decyl acetate, diethyl phthalate, dihydromyrcenol, dihyromyrcenyl formate, dihydromyrcenyl acetate, dihydroterpinyl acetate, dimethylbenzyl carbinyl acetate, dimethylbenzylcarbinol, dimethylheptanol, dimethyloctanol, dimyrcetol, diphenyl oxide, 10 ethyl naphthyl ether, ethyl vanillin, ethylene brassylate, eugenol, florocyclene, geraniol, geranium oil, geranonitrile, geranyl nitrile, geranyl acetate, 1,1,2,4,4,7-hexamethyl-6-acetyl-1,2,3,4-tetrahydronaphthalene, available under the trademark "TONALID", 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-2-benzopyran, available under the trade mark "GALAXOLIDE", 2-n-heptylcyclopentanone, 15 3a.4.5.6.7.7a-hexahydro-4,7-methano-1(3)H-inden-6-ylpropionate, available under the trademark "FLOROCYCLENE", 3a-4,5,6,7,7a-hexahydro-4,7-methano-1(3)H-inden-6-ylacetate, available under the trademark "JASMACYCLENE", 4-(4'-hydroxy-4'-methylpentyl)-3-cyclohexenecarbaldehyde, alpha-hexylcinammic aldehyde, heliotropin, Hercolyn D, hexyl aldone, hexyl cinnamic aldehyde, hexyl salicylate, 20 hydroxycitronellal, i-nonyl formate, 3-isocamphylcyclohexanol, 4-isopropylcyclohexanol, 4-isopropylcyclohexyl methanol, indole, ionones, irones, isoamyl salicylate, isoborneol, isobornyl acetate, isobutyl salicylate, isobutylbenzoate, isobutylphenyl acetate, isoeugenol, isolongifolanone, isomethyl ionones, isononanol, isononyl acetate, isopulegol, lavandin oil, 25 lemongrass oil, linalool, linalyl acetate, LRG 201, 1-menthol, 2-methyl-3-(p-isopropylphenyl)propanal, 2-methyl-3-(p-t-butylphenyl)propanal, 3-methyl-2-pentyl-cyclopentanone, 3-methyl-5-phenyl-pentanol, alpha and beta methyl naphthyl ketones, methyl ionones, methyl dihydrojasmonate, methyl naphthyl ether, methyl 4-propyl phenyl ether, Mousse de chene Yugo, Musk ambrette, myrtenol, neroli oil, 30 nonanediol-1,3-diacetate, nonanol, nonanolide-1,4, nopol acetate; 1.2.3.4.5.6.7,8-octahydro-2,3,8,8-tetramethyl-2-acetyl-naphthalene, available under the trademark "ISO-E-SUPER", octanol, Oppoponax resinoid, orange oil, p-t-amylcyclohexanone, p-t-butylmethylhydrocinnamic aldehyde, 2-phenylethanol, 2-phenylethyl acetate, 2-phenylpropanol, 3-phenylpropanol, para-menthan-7-ol, para-t-butylphenyl methyl ether, patchouli oil, pelargene, petitgrain oil, phenoxyethyl 35

isobutyrate, phenylacetaldehyde diethyl acetal, phenylacetaldehyde dimethyl acetal,

20

phenylethyl n-butyl ether, phenylethyl isoamyl ether, phenylethylphenyl acetate, pimento leaf oil, rose-d-oxide, Sandalone, styrallyl acetate, 1,1,4,4-tetramethyl-6-acetyl-7-ethyl-1,2,3,4-tetrahydronaphthalene, available under the trademark "VERSALIDE", 3,3,5-trimethyl hexyl acetate, 3,5,5-trimethylcyclohexanol, terpineol, terpinyl acetate, tetrahydrogeraniol, tetrahydrolinalool, tetrahydromuguol, tetrahydromyrcenol, thyme oil, trichloromethylphenylcarbinyl acetate, tricyclodecenyl acetate, tricylodecenyl propionate, 10-undecen-1-al, gamma undecalactone, 10-undecen-1-ol, undecanol, vanillin, vetiverol, vetiveryl acetate, vetyvert oil, acetate and propionate esters of alcohol in the list above, aromatic nitromusk fragrances, indane musk fragrances, isochroman musk fragrances, macrocyclic ketones, macrolactone musk fragrances, and tetralin musk fragrances.

The perfume may be present in known manner in solvents or diluents, such as ethanol, isopropanol, diethylene glycol monoethyl ether, dipropylene glycol, diethyl phthalate and triethyl citrate.

Perfumes which are used in this invention may, if desired, have deodorant properties, for example, as disclosed in US-A- 4303679, US-A-4663068 and EP-A-545556.

If the particles are solid particles which are impregnated with perfume after manufacture, the absorption of perfume can be enhanced by choosing perfumery materials with a hydrophobic character or mixing a hydrophobic oil into the perfume. Examples of hydrophobic oils which can enhance perfume uptake are dibutylphthalate, alkane mixtures such as isoparaffin and di (C<sub>8</sub>-C<sub>10</sub> alkyl) propylene glycol diester.

The particles suitably have a diameter in the range 0.5 to 100 microns. The lower end of this range (0.5 to 5 microns) covers small colloidal particles and molecular complexes.

The particle may be attached to the polysaccharide by a range of physical or chemical means

Polysaccharide is conveniently physically attached to particles, eg by adsorption. For example, porous silica particles have surface properties that enable firm adsorption of polysaccharide.

Chemical attachment techniques may also be used. For particles carrying surface amino groups, attachment can be by a number of techniques. For example, amino groups are

30

conveniently chemically linked to polysaccharides having galactose side chains by enzymically oxidising the galactose, eg using galactose oxidase, to produce an aldehyde group to which an amino group of a particle can be chemically linked. As noted above, TXG, LBG and EMG have suitable galactose side chains. For polysaccharides not having suitable galactose side chains, different methods of chemical linking of amino groups can be used. Alternative techniques include limited periodate oxidation, which requires the polysaccharide to have two adjacent hydroxyl groups in cis orientation, and results in the production of aldehyde groups which can be reductively aminated. A further possibility is reaction with cyanogen bromide (CNBr) which inserts into sugar rings at vicinal diols, both in the backbone and side chains, to provide an isourea linkage to amino groups. It is preferred to use chemical techniques that do not affect the polysaccharide backbone 10 length, which would reduce the cellulose-binding capability of the polysaccharide. For particles with surface carboxyl or hydroxyl groups, other known forms of chemical linkage may be used. As a further possibility, where the particle is a liposome or micelle, hydrophobic tails fixed to the polysaccharide can be inserted therein. 15

Because the polysaccharide conjugate binds to cellulose, which is present in cotton and other fabrics, paper, etc, binding of the conjugate to cellulose brings the attached particle carrying perfume into close proximity to a surface of or containing cellulose. The invention thus enables targeting of perfume-bearing particles to such surfaces.

This targeting function finds particular practical applications, in targeting of particles containing perfume to bind to fabric. The perfume may be adsorbed, impregnated or 20 encapsulated in the particle. Polysaccharide-particle conjugates of this sort thus find use as ingredients in laundry products, such as fabric washing products and fabric conditioning products, and also personal products, eg. for targeting perfume to bind to clothes. Another potential use is in paper products, such as disposable paper wipes. 25

In a preferred embodiment, the particles are porous and contain perfume in the pores. This embodiment involves filling the pores of the particles with the perfume and then blocking the pores with a coating of the polysaccharide so that the perfume does not come out of the particle again easily. It may, however, be possible to effect perfume release if desirable, eg by ironing. Moreover, the coating has the combined effect of sealing the perfume in the pores and giving the particles a specific affinity for cellulose or cellulose-containing surfaces.

The invention may also be used for targeting perfume-bearing particles to bind paper to produce perfumed paper.

An additional benefit of the invention arises from the fact that, unlike most other targeting molecules, cellulose-binding polysaccharides are especially robust. Proteins such as cellulose binding domain can be inactivated (denatured) by heat or aggressive surfactants, while polysaccharides such as LBG, TXG, etc are completely unaffected by such treatments. The polysaccharide conjugates of the invention thus offer the considerable advantage of extra stability and product compatibility compared with other targeting molecules.

In a further aspect, the present invention provides a product incorporating a polysaccharide conjugate in accordance with the invention.

The product is conveniently a laundry product such as a fabric washing product, eg a detergent product, or a fabric conditioning product.

The invention also finds application in personal products, eg for targeting perfume to bind to clothes.

The product may otherwise be of generally conventional formulation, as is well known to those skilled in the art. For a discussion of known detergent compositions see, for example, WO 95/34628, particularly pages 11 to 15.

The present invention also provides a method of targeting binding of a particle carrying perfume to cellulose by use of a polysaccharide conjugate in accordance with the invention.

The invention will be further described by way of illustration, in the following Example.

## EXAMPLE 1

Binding of Locust Bean gum (LBG) to fragrance-enriched particles for targeting to fabric.

## 25 MATERIALS AND METHODS

Preparation of particles

Porous silica particles (mean pore-size 2nm, average particle size 9 µm) were obtained from Joseph Crosfield & Sons (Warrington U.K.). Approximately 25 mgs of silica was placed in each of two round-bottom plastics tubes. 0.5mls of the fragrance florocyclene (obtained from Quest International, Ashford U.K.) was added to each of the tubes and mixed thoroughly. The lids of the tubes were sealed to prevent evaporation of the fragrance.

The two tubes were rotated overnight with a gentle tumbling motion to allow the fragrance molecules to enter the pores of the particles. This was done at ambient temperature.

The tubes were centrifuged for 5 minutes [13,000 r.p.m. in a microcentrifuge (MSE)] and the supernatants discarded. Each of the two tubes then received a different treatment in which 1mls of one of the following was added.

- a) 1mls of 0.1% LBG (Sigma Product No. G-0753)
- b) 1mls of purified water.

The two tubes were mixed thoroughly and then rotated overnight at ambient temperature.

After the overnight treatment, the tubes were centrifuged as before and the supernatants removed. The particles were washed once in water and then twice in saline (pH 7). The particles were then resuspended in 1mls saline (pH 7) and left at ambient temperature until required. There were therefore two different slurries, each containing approximately 25 mgs of silica in 1mls of saline. The slurries were designated a) or b) depending on the treatment received as set out above.

# Targeting the particles to fabric

25

Two squares (approximately 1cm x 1cm) were cut from white cotton cloth.

2mls of saline was added to each of two plastics tubes. 100  $\mu$ l of slurry a) was added to one; 100  $\mu$ l of slurry b) was added to the other. One cotton square was added to each of the two tubes a) and b).

The two tubes were rotated slowly at room temperature for two hours; after which the cotton squares were removed with tweezers. Each square was placed in a separate Petri dish. The lids of the Petri dishes were used to prevent evaporation of the fragrance.

## **RESULTS**

Eight people were asked to compare cotton squares treated with slurry a) and slurry b) and decide which of the cotton squares smells the strongest.

6 out of 8 said that a) was the strongest 1 out of 8 said that b) was the strongest 1 out of 8 could not tell the difference.

It was concluded that the cotton square treated with slurry a) had more fragrance on it due to the targeting effect of the LBG.

#### Claims

- 1. A polysaccharide conjugate comprising a polysaccharide attached to a particle carrying perfume, the polysaccharide conjugate being capable of binding to cellulose.
- A conjugate according to claim 1, wherein the polysaccharide has a 1-4 linked
   β glycan backbone structure.
  - 3. A conjugate according to claim 2, wherein the polysaccharide has a glucan backbone, a mannan backbone or a xylan backbone.
- 4. A conjugate according to claim 3, wherein the polysaccharide is selected from xyloglucans, glucomannans, mannans, galactomannans, β (1-3), (1-4) glucan and the
   10 xylan family incorporating glucurono-, arabino- and glucuronoarabinoxylan.
  - 5. A conjugate according to claim 4, wherein the polysaccharide is selected from xyloglucans such as tamarind seed xyloglucan (TXG) and pea xyloglucan; and galactomannans, particularly low galactose glactomannans, such as locust bean gum (LBG), enzyme modified guar (EMG), tara galactomannan and cassia galactomannan.
- 15 6. A conjugate according to any one of the preceding claims, wherein the polysaccharide has side chain galactose residues susceptible to oxidation by galactose oxidase.
  - 7. A conjugate according to any one of the preceding claims, wherein the particle is physically linked to the polysaccharide.
- 20 8. A product incorporating a polysaccharide conjugate in accordance with any one of the preceding claims.
  - 9. A product according to claim 8, comprising a laundry product such as a fabric washing product, eg a detergent product, or a fabric conditioning product.
- 10. A method of targeting binding of a particle carrying perfume to cellulose by use of a polysaccharide conjugate in accordance with any one of claims 1 to 7.

# INTERNATIONAL SEARCH REPORT

			- OZZIACII KE	TORI	John T.	
A CL	COURTE		•			Application No
ÎPC	ASSIFICATION OF SUBJECT 6 C08L5/14	MATTER			PCT/GB 9	9/00145 -
	000013/14	C08B37/00	C08B37/14	C11D7/0		
			, • 1	C11D//(	00	
Accordin	10 International Day					
B. FIFI	ng to International Patent Clas	ssification (IPC) or to boti	national classification ar	M IDC		
Minimum	documentation			u iro		
IPC 6	cocumentation searched (c	lassification system follow	ved by classification au-			
1	OCC COOD		, and an order of the	iois)		
<b></b>						
Documer	tation searched other than m	inimum dogument				
l	station searched other than m	documentation to	the extent that such doc	ments are inclu	ided in the fields o	o o o o o o
- Claret					and holds a	agr.cued
ciedionic	data base consulted during t	he international search (	Damo of data			
			name of data base and, i	vhere practical,	search terms used	)
						•
C. DOCUM	ENTS CONSIDERED TO BE					
Category •	Citation of do	HELEVANT				
	Citation of document, with	indication, where approp	riate, of the relevant page	anes		
۸				uyes	1	Relevant to claim No
A	DATABASE WPI					
	Week 8634				1	1 7:0
	Derwent Publi	cations Ltd.	Jand		1	1,7-9
1	AN 86-223138	}	Longon, GB;		1	
1	XP002069370				1	
1	& JP 61 15530 see abstract	7 A (LION COR	P) 15 -		1	
- 1	see abstract		17, 15 July 1	986		
					1	
١ ١	EP 0 439 373 see page 2, 1	A (PFIZER INC	1 21 1.2	_	1	
- 1	see page 2, 1	ine 51 - line	· 등 21 July 19	91	1	170
- 1	see claims 1,	5.6	55		- 1	1,7,8
1			,		- 1	
			-/		1	
- 1			-/		1	4
					1	
					1	
					ı	•
1					1	
Further d	Ocuments are the				1	
J	ocuments are listed in the	entinuation of box C.	X Pater	t tomit.	<del></del>	
ecial categor	ries of cited documents :			r rarriily member	rs are listed in ann	ex.
document de	afining the		"T" later doc-	ont a		
considered	to be of particular relevance	art which is not	or priority	date and not in a	fter the internation	al filing date
filing date	nent but published on or after	the international	invention	derstand the prir	nciple or theory un	plication but
Octiment we	inde		A document o	f narticular		
cranon or or	ner special rosses	date of another	mvoive an	DVAntiva eta	THE PROPERTY OF COMME	Sidered to
ocument ref	erring to an oral disclosure, u	ied)	"Y" document of	Do-No. 4	the document	is taken alone
omer means	Jan and Good Control of the control	se, exhibition or	cannot be o	onsidered to inv	olve an inventive	invention
ater than the	lished prior to the internation priority date claimed	al filing date but	ments, such	combination be	one or more other aing obvious to a	such docu-
			"&" document me		S Mode to a	POBINS INC.
	completion of the international	search	Date of mail	no of the	ne patent family	1
13 An	ril 1999		Jacon mail	ny or the interna	ational search repo	rt
			25/0	1/1005		1
	address of the ISA		20/0	4/1999		
and mailing a			Authorized of	llens		
Eu	ropean Patent Office, P.B. 58	18 Patentiase o	)	log≀ .		
Eu NL Tel	ropean Patent Office, P.B. 58 - 2280 HV Rijswijk - (+31-70) 340-2040, Tv. 34 s	18 Patentlaan 2	) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ker		
Eu NL Tel	ropean Patent Office, P.B. 58 - 2280 HV Rijswijk (+31-70) 340-2040, Tx. 31 6 :: (+31-70) 340-3016	18 Patentlaan 2 51 epo ni,	1	;, J~F		

## INTERNATIONAL SEARCH REPORT

t ational Application No PCT/GB 99/00145

O (Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	1/GB 99/00145
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DATABASE WPI Week 8631 Derwent Publications Ltd., London, GB; AN 86-201034 XP002069371 & JP 61 133299 A (LILAC KENKYUSHO KK) , 20 June 1986 see abstract	1-4,7-9
Α	US 2 949 397 A (T. H. WERNER) 16 August 1960 see claims	1-5,7,8, 10
Α	US 3 297 604 A (F. J. GERMINO) 10 January 1967 see claims	1-6
	,	

1

# INTERNATIONAL SEARCH REPORT

Information on patent family members

ational Application No PCT/GB 99/00145

Patent documen cited in search rep	nt	Publication			99/00145
EP 420270		date		Patent family member(s)	Publication date
US 2949397	A 	31-07-1991	AU AU AU CA PT	664593 B 3391293 A 7006991 A 2035325 A,C 96587 A	23-11-1995 13-05-1993 08-08-1991 27-07-1991 15-10-1991
	Α	16-08-1960	BE BE CH CH DE FR GB GB NL	540485 A 540486 A 349155 A 349881 A 1067296 B 1078426 B 1139589 A 1139590 A 778791 A 810828 A 107598 C	02-07-1957 02-07-1957
JS 3297604	A	10-01-1967	NONE		